

## Органические реактивы

### Имеются в наличии и доступны для заказа

Хотели ли вы повысить производительность вашей лаборатории и уровень безопасности в ней? Вы нашли то, что искали! Мы можем обеспечить ваши ежедневные потребности для синтеза, благодаря наличию более 5 000 наименований химической продукции Thermo Scientific™ для широкого применения научно-исследовательских работах, включая:

- Восстанавливающие и окисляющие реагенты
- Металлоорганические соединения (реактивы Гриньяра, цинкорганические соединения, органические соединения лития и оловоорганические соединения)
- Наиболее часто используемые функциональные реактивы плюс более редкие реактивы для определенных реакций
- Реагенты, чувствительные к воздуху и влаге в упаковке AcroSeal™

Продукция доступна в различных классах чистоты, концентрациях и размерах упаковок.

Наша обширная коллекция химической продукции и биологических реактивов Thermo Scientific™ обеспечивает широкий выбор, качество и гарантированную поставку. Мы создали надежную глобальную логистическую сеть и предлагаем удобную предварительную упаковку продукции по каталогу с различными размерами.

При проведении исследований доверьте нам поставку критически важных органических реактивов

Ниже приводятся примеры реактивов, которые мы можем предложить для органического синтеза.

Узнайте больше и совершайте покупки онлайн по адресу:  
[thermofisher.com/organic-chemistry](https://thermofisher.com/organic-chemistry)

**thermo** scientific

# Органические реактивы

Информация для совершения заказа

| Артикул               | Описание                                                                     | № CAS       | Размер               |
|-----------------------|------------------------------------------------------------------------------|-------------|----------------------|
| Органические реагенты |                                                                              |             |                      |
| 102220050             | Acetal, 99%                                                                  | 105-57-7    | 5 mL                 |
| 149510100             | Acetaldehyde, 99.5%, extra pure                                              | 75-07-0     | 10 mL                |
| 102410050             | Acetophenone, 98%, pure                                                      | 98-86-2     | 5 mL                 |
| 151270025             | Acetyl chloride, 98%                                                         | 75-36-5     | 2.5 L                |
| L14013.AP             | Acetyl chloride, 98%                                                         | 75-36-5     | 500 mL               |
| 219470250             | Acetyl chloride, 99+%                                                        | 75-36-5     | 25 mL                |
| A14330.AP             | Allyl chloride, 98%, stab. with propylene oxide                              | 107-05-1    | 500 mL               |
| 277140010             | (R)-(+)-1-Amino-2-(methoxymethyl)pyrrolidine, 95+%                           | 72748-99-3  | 1 g                  |
| A16197.06             | Barium diphenylamine-4-sulfonate                                             | 6211-24-1   | 5 g, 25 g            |
| 164060010             | Bathocuproinedisulfonic acid, disodium salt hydrate, 97%                     | 52698-84-7  | 1 g, 25 g            |
| B23244.MD             | Bathophenanthrolinedisulfonic acid disodium salt hydrate, 98%                | 52746-49-3  | 250 mg               |
| 164050050             | Bathophenanthrolinedisulfonic acid, disodium salt hydrate, 98%               | 52746-49-3  | 5 g                  |
| A16142.22             | Benzethonium chloride, 97%                                                   | 121-54-0    | 100 g                |
| 402030050             | Benzoyl chloride, 98+%, ACS reagent                                          | 98-88-4     | 5 g                  |
| 220271000             | Benzoyl chloride, 99%, pure, AcroSeal™                                       | 98-88-4     | 100 mL               |
| 105750010             | Benzoyl chloride, 99.5+%, pure                                               | 98-88-4     | 1 L                  |
| A14107.0B             | Benzoyl chloride, 99+%                                                       | 98-88-4     | 250 g, 1 Kg          |
| 183881000             | 1H-Benzotriazole, 99%                                                        | 95-14-7     | 100 g, 500 g         |
| L13470.06             | O-(1H-Benzotriazol-1-yl)-N,N,N',N'-tetramethyluronium tetrafluoroborate, 99% | 125700-67-6 | 5 g, 25 g            |
| A14291.14             | Benzyltriethylammonium bromide, 98+%                                         | 5197-95-5   | 25 g                 |
| A13268.22             | Benzyltriethylammonium chloride, 99%                                         | 56-37-1     | 100 g                |
| A14927.AP             | Benzyltrimethylammonium hydroxide, 40% w/w in methanol                       | 100-85-6    | 500 mL               |
| A10345.36             | Benzyltri-n-butylammonium chloride, 98%                                      | 23616-79-7  | 500 g                |
| L19385.03             | Bis(pyridine)iodonium tetrafluoroborate, 97%                                 | 15656-28-7  | 1 g                  |
| A14308.06             | Bispyrazolone, 98+%                                                          | 7477-67-0   | 5 g                  |
| L15141.06             | [Bis(trifluoroacetoxy)iodo]benzene, 97%                                      | 2712-78-9   | 5 g                  |
| A15275.AE             | Boron trifluoride diethyl etherate, 98+%                                     | 109-63-7    | 100 mL, 500 mL       |
| 158900010             | Boron trifluoride dimethanol complex, 50-52 wt% BF3                          | 2802-68-8   | 1 Kg                 |
| 174560025             | Boron trifluoride etherate, approx. 48% BF3                                  | 109-63-7    | 2.5 Kg               |
| A12804.0E             | Bromoethane, 98%                                                             | 74-96-4     | 100 g, 500 g, 2.5 Kg |
| 154210025             | Bromoethane, 98%, pure                                                       | 74-96-4     | 2.5 L                |
| A11639.22             | 2-Bromo-2-nitropropane-1,3-diol, 98+%                                        | 52-51-7     | 100 g                |
| A11601.06             | N-Bromophthalimide, 98+%                                                     | 2439-85-2   | 5 g                  |
| 107451000             | N-Bromosuccinimide, 99%                                                      | 128-08-5    | 100 g, 1 Kg          |
| 220620500             | 1-Butanethiol, 99+%                                                          | 109-79-5    | 50 mL, 1 L           |
| B22215.22             | n-Butyl chloroformate, 98%                                                   | 592-34-7    | 100 g                |
| A13926.AE             | tert-Butyl hydroperoxide, 70% aq. soln.                                      | 75-91-2     | 100 mL, 500 mL       |
| 180340050             | tert-Butyl hydroperoxide, 70% solution in water                              | 75-91-2     | 5 g, 500 g           |
| L00294.06             | Di-tert-butyl azodicarboxylate, 98%                                          | 870-50-8    | 5 g, 25 g            |
| A14708.14             | Di-tert-butyl dicarbonate, 97+%                                              | 24424-99-5  | 25 g, 100 g, 500 g   |
| 349931000             | Di-tert-butyl peroxide, 99%                                                  | 110-05-4    | 100 g, 250 g         |
| B21320.03             | Calix[4]arene, 98%                                                           | 74568-07-3  | 1 g, 5 g             |
| 151810100             | 1,1'-Carbonyldiimidazole, 97%                                                | 530-62-1    | 10 g                 |
| 325150050             | Carbon tetrabromide, 98%                                                     | 558-13-4    | 5 g                  |
| L00821.14             | Carbon tetrabromide, 98% (dry wt.), may cont. up to ca 6% water              | 558-13-4    | 25 g, 100 g, 500 g   |
| A12044.0B             | Chloramine-T trihydrate, 98%                                                 | 7080-50-4   | 250 g, 1 Kg, 5 Kg    |
| 395331000             | 2-Chloroethyl chloroformate, 97%                                             | 627-11-2    | 100 g                |

Органические реактивы – продолжение

| Артикул No.                         | Описание                                                                       | № CAS       | Размер                   |
|-------------------------------------|--------------------------------------------------------------------------------|-------------|--------------------------|
| Органические реактивы – продолжение |                                                                                |             |                          |
| A12820.22                           | 2-Chloro-1-methylpyridinium iodide, 97%                                        | 14338-32-0  | 100 g                    |
| A10310.18                           | N-Chlorosuccinimide, 98%                                                       | 128-09-6    | 50 g, 250 g              |
| L04801.22                           | Cholesteryl chloroformate                                                      | 7144-03-08  | 100 g                    |
| 329730050                           | Cumene, 99.9%, extra pure                                                      | 98-82-8     | 5 mL                     |
| 349960050                           | Cumyl hydroperoxide, 80%                                                       | 80-15-9     | 5 g, 250 g               |
| B21573.09                           | Curcumin, 95% (total curcuminoid content), from Turmeric rhizome               | 458-37-7    | 10 g, 50 g               |
| L11271.MC                           | ^y-Cyclodextrin hydrate                                                        | 91464-90-3  | 100 mg                   |
| 111360050                           | 1 -Cyclohexyl-3-(2-morpholinoethyl)carbodiimide metho-p- toluenesulfonate, 95% | 2491-17-0   | 5 g                      |
| L15779.06                           | Dess-Martin periodinane                                                        | 87413-09-0  | 5 g                      |
| 112470250                           | 1,4-Diazabicyclo[2.2.2]octane, 97%                                             | 280-57-9    | 25 g, 100 g, 500 g       |
| A13437.22                           | 1,5-Diazabicyclo[4.3.0]non-5-ene, 98%                                          | 3001-72-7   | 100 g                    |
| A12449.14                           | 1,8-Diazabicyclo[5.4.0]undec-7-ene, 98+%                                       | 6674-22-2   | 25 g, 100 g, 500g        |
| A11879.09                           | 2,3-Dichloro-5,6-dicyano-1,4-benzoquinone, 98%                                 | 84-58-2     | 10 g                     |
| A13810.AE                           | 2,2-Dimethoxypropane, 98%                                                      | 77-76-9     | 100 mL, 500 mL           |
| A11992.14                           | Diethylaminosulfur trifluoride, 95%                                            | 38078-09-0  | 25 g                     |
| A17152.06                           | 5-(4-Dimethylaminobenzylidene)rhodanine 98%                                    | 536-17-4    | 5 g                      |
| B21938.22                           | 7-Diethylamino-4-methylcoumarin, 99%                                           | 91-44-1     | 100 g, 500 g             |
| 427740250                           | 3-(N,N-Dimethylmyristylammonio)propanesulfonate, 97%                           | 14933-09-6  | 25 g                     |
| L03019.14                           | 1,2-Diiodoethane, 98%                                                          | 624-73-7    | 5 g, 25 g                |
| A15510.22                           | 1,3-Dibromo-5,5-dimethylhydantoin, 98%                                         | 77-48-5     | 100 g, 500 g             |
| L02731.AC                           | 3,4-Dihydro-2H-pyran, 99%                                                      | 110-87-2    | 25 mL, 100 mL, 500 mL    |
| A13016.06                           | 4-(Dimethylamino)pyridine, 99%                                                 | 1122-58-3   | 5 g, 25 g, 100 g         |
| 148270050                           | 4-Dimethylaminopyridine, 99%                                                   | 1122-58-3   | 5 g, 500 g               |
| 158320010                           | 4,7-Diphenyl-1,10-phenanthroline, 99%                                          | 1662-01-7   | 1 g                      |
| 171445000                           | 1 -(3-Dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride, 98+%             | 25952-53-8  | 500 g                    |
| A10807.03                           | 1 -(3-Dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride, 98+%             | 25952-53-8  | 1 g, 5 g, 25 g           |
| A10962.14                           | 1-(3-Dimethylaminopropyl)-3-ethylcarbodiimide methiodide, 98%                  | 22572-40-3  | 25 g                     |
| A13104.22                           | Dimethyl carbonate, 99%                                                        | 616-38-6    | 100 g, 500 g             |
| A15350.14                           | N,N-Dimethylformamide dimethyl acetal, 97%                                     | 4637-24-5   | 25 g, 100 g              |
| L00101.03                           | 1,3-Diphenylisobenzofuran, 97%                                                 | 5471-63-6   | 1 g, 5 g                 |
| A15149.09                           | Diphenyliodonium chloride, 98+%                                                | 1483-72-3   | 10 g                     |
| 117780025                           | Epichlorohydrin, 99%                                                           | 106-89-8    | 2.5 L                    |
| A12691.06                           | Ethyl isonitrosocyanoacetate, 97%                                              | 3849-21-6   | 5 g, 100 g               |
| A16086.18                           | Ethylene glycol-O,O'-bis(2-aminoethyl)-N,N,N',N'-tetraacetic acid, 97%         | 67-42-5     | 50 g                     |
| L11842.22                           | Ethylenediaminetetraacetic acid dipotassium salt dihydrate, 99%                | 25102-12-9  | 100 g                    |
| L11991.18                           | Ethylenediaminetetraacetic acid tripotassium salt dihydrate, 99%               | 65501-24-8  | 50 g                     |
| A10713.0B                           | Ethylenediaminetetraacetic acid, 99%                                           | 60-00-4     | 250 g, 500 g, 1 Kg, 5 Kg |
| A11683.03                           | 9-Fluorenylmethyl chloroformate, 98+%                                          | 28920-43-6  | 1 g, 5 g, 25 g           |
| 312010010                           | 1-Fluoropyridinium tetrafluoroborate, 95+%                                     | 107264-09-5 | 1 g                      |
| A11709.09                           | (Formylmethylene)triphenylphosphorane, 97%, may cont. up to ca 3% water        | 2136-75-6   | 10 g, 25 g, 100 g        |
| B23663.18                           | Glutaronitrile, 99%                                                            | 544-13-8    | 50 g                     |
| 120000050                           | Glutathione, 98%, for analysis, reduced                                        | 70-18-8     | 5 g                      |
| A14005.18                           | Hydrazine monohydrate, 98+%                                                    | 7803-57-8   | 50 g, 250 g, 500 g       |
| A10792.30                           | Hydrazine sulfate, 99+%                                                        | 10034-93-2  | 250 g                    |

Органические реактивы – продолжение

| Артикул No.                         | Описание                                                              | № CAS       | Размер                  |
|-------------------------------------|-----------------------------------------------------------------------|-------------|-------------------------|
| Органические реактивы – продолжение |                                                                       |             |                         |
| 219930050                           | Hydroquinone, 99.5%                                                   | 123-31-9    | 5 g                     |
| H31133.06                           | (2-Hydroxypropyl)- <sup>Α</sup> -b-cyclodextrin, MW ca 1250-1480      | 128446-35-5 | 5 g, 25 g, 100 g        |
| A14720.22                           | 8-Hydroxyquinoline, 99%                                               | 148-24-3    | 100 g                   |
| 157272500                           | N-Hydroxysuccinimide, 98+%                                            | 6066-82-6   | 250 g                   |
| A10312.14                           | N-Hydroxysuccinimide, 98+%                                            | 6066-82-6   | 25 g                    |
| 122020050                           | Imidazole, 99%                                                        | 288-32-4    | 5 g, 500 g              |
| A10221.22                           | Imidazole, 99%                                                        | 288-32-4    | 100 g                   |
| 396740025                           | Imidazole, ACS reagent                                                | 288-32-4    | 2.5 Kg                  |
| B24531.14                           | Iodosobenzene diacetate, 98+%                                         | 3240-34-4   | 25 g, 100 g             |
| A14320.06                           | N-Iodosuccinimide, 97%                                                | 516-12-1    | 5 g, 25 g, 100 g        |
| 176181000                           | Isobutyl chloroformate, 98%                                           | 543-27-1    | 100 g                   |
| A14692.22                           | Isobutyl chloroformate, 98%                                           | 543-27-1    | 100 g                   |
| L01050.06                           | 2-Methoxyethoxymethyl chloride, 94%                                   | 3970-21-6   | 5 g                     |
| 126530050                           | Methyl chloroformate, 99%                                             | 79-22-1     | 5 mL                    |
| L14332.MF                           | (S)-(+)-Aa-Methoxy-Aa-(trifluoromethyl)phenylacetyl chloride, 98+%    | 20445-33-4  | 50 mg                   |
| A10337.18                           | 4-Methylumbelliferone, 97%                                            | 90-33-5     | 50 g                    |
| 128001000                           | Methyl vinyl ketone, 94%, stabilized                                  | 78-94-4     | 100 mL, 1 L             |
| 127151000                           | N-Methylmorpholine, 99%                                               | 109-02-4    | 100 g, 500 g            |
| 415160050                           | Morpholine, 99+%, ACS reagent                                         | 110-91-8    | 5 g, 500 g              |
| 229375000                           | Myristyltrimethylammonium bromide, 99%                                | 1119-97-7   | 500 g                   |
| A16125.06                           | Aa-Naphtholbenzein                                                    | 145-50-6    | 5 g,25 g100 g           |
| 153310050                           | Neocuproine hydrochloride monohydrate, 99%                            | 303136-82-5 | 5 g                     |
| B20167.06                           | Nitronium tetrafluoroborate, 96%                                      | 13826-86-3  | 5 g, 25 g, 100 g        |
| A12333.30                           | 2-Nitrophenol, 98%                                                    | 88-75-5     | 250 g                   |
| A14376.0B                           | 4-Nitrophenol, 99%                                                    | 100-02-7    | 250 g, 1 Kg             |
| A15806.04                           | Nitrosonium tetrafluoroborate, 98%                                    | 14635-75-7  | 2 g, 10 g, 50 g         |
| B23375.14                           | 1-Nitroso-2-naphthol-3,6-disulfonic acid disodium salt, 90+%          | 525-05-3    | 25 g                    |
| A18012.18                           | Oxalyl chloride, 98%                                                  | 79-37-8     | 50 g, 100 g             |
| 416780010                           | Paraformaldehyde, 96%, extra pure                                     | 30525-89-4  | 1 Kg                    |
| 129960050                           | 2,4-Pentanedione, 99+%                                                | 123-54-6    | 5 g                     |
| 257750250                           | Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized | 79-21-0     | 25 mL, 500 mL           |
| A14140.09                           | 1,10-Phenanthroline monohydrate, 99+%                                 | 5144-89-8   | 10 g                    |
| 130130050                           | 1,10-Phenanthroline monohydrate, 99+%, pure                           | 5144-89-8   | 5 g, 25 g, 100 g        |
| 157530250                           | 1,10-Phenanthroline, 99+%                                             | 66-71-7     | 25 g                    |
| A15760.0E                           | Phenol, detached crystals, 99+%                                       | 108-95-2    | 100 g, 2.5 Kg           |
| A18612.06                           | 4-Phenylazodiphenylamine, 97%                                         | 101-75-7    | 5 g, 25 g, 100 g        |
| A12618.22                           | Phenyl chloroformate, 99%                                             | 1885-14-9   | 100 g                   |
| A15326.30                           | Phenyltrimethylammonium tribromide, 97%                               | 4207-56-1   | 250 g                   |
| 147180025                           | Piperidine, 99%, extra pure                                           | 110-89-4    | 100 mL, 2.5 L           |
| 296020050                           | Potassium tris(3,5-dimethyl-1-pyrazolyl)borohydride, 99%              | 17567-17-8  | 5 g                     |
| L11911.18                           | 1-Propylphosphonic acid cyclic anhydride, 50+% soln. in ethyl acetate | 68957-94-8  | 50 g                    |
| A15261.06                           | 1,3-Propanedithiol, 97%                                               | 109-80-8    | 5 g                     |
| 270720050                           | PYBOP™, 99%                                                           | 128625-52-5 | 5 g                     |
| 168550500                           | Sodium cyanoborohydride, 95%                                          | 25895-60-7  | 50 g                    |
| 419630250                           | Sodium polyanetholesulfonate                                          | 55963-78-5  | 25 g                    |
| A12202.09                           | Sulfur trioxide-pyridine complex, 98%, active SO3 ca 48-50%           | 26412-87-3  | 10 g, 50 g, 250 g, 1 Kg |
| A12733.03                           | TEMPO, free radical, 98+%                                             | 2564-83-2   | 1g, 5g, 25g             |



Органические реактивы – продолжение

| Артикул No.                         | Описание                                                              | № CAS       | Размер                        |
|-------------------------------------|-----------------------------------------------------------------------|-------------|-------------------------------|
| Органические реактивы – продолжение |                                                                       |             |                               |
| 218160250                           | Tetraheptylammonium bromide, 99%                                      | 4368-51-8   | 25 g                          |
| 435670500                           | Tetrakis(decyl)ammonium bromide, 98%                                  | 14937-42-9  | 50 g                          |
| A12314.AP                           | 1,1,3,3-Tetramethylguanidine, 99%                                     | 80-70-6     | 500 mL                        |
| A18912.06                           | Thionin acetate                                                       | 78338-22-4  | 5 g, 25 g                     |
| A12828.22                           | Thiourea, 99%                                                         | 62-56-6     | 100 g, 500 g                  |
| A14547.30                           | p-Toluenesulfonyl chloride, 98%                                       | 98-59-9     | 250 g                         |
| 182450050                           | Tosylmethyl isocyanide, 98%                                           | 36635-61-7  | 5 g                           |
| 139285000                           | 1,2,4-1H-Triazole, 99,5%                                              | 288-88-0    | 500 g                         |
| L14159.14                           | 2,4,6-Trichlorobenzoyl chloride, 98%                                  | 4136-95-2   | 25 g                          |
| A10565.18                           | Trichloroacetonitrile, 98%                                            | 545-06-2    | 50 g                          |
| L06875.14                           | 2,2,2-Trichloroethyl chloroformate, 97%                               | 17341-93-4  | 25 g                          |
| 421540010                           | Trichloroisocyanuric acid, 99%                                        | 87-90-1     | 1K g                          |
| A13587.0D                           | Triethyl orthoformate, 98%                                            | 122-51-0    | 100 mL, 500 mL,<br>2.5 L, 10L |
| L08172.AP                           | Triethyl orthopropionate, 97%                                         | 115-80-0    | 500 mL                        |
| A14420.14                           | Triethyloxonium tetrafluoroborate, 95%, stab. with 3-5% diethyl ether | 368-39-8    | 25 g, 100 g                   |
| A11767.09                           | Trifluoromethanesulfonic anhydride, 98%                               | 358-23-6    | 10 g, 25 g, 50 g,<br>100 g    |
| 175060010                           | Trifluoromethanesulfonic anhydride, 98+%                              | 358-23-6    | 1 mL                          |
| A13760.0F                           | Trimethyl orthoformate, 99%                                           | 149-73-5    | 100 mL, 500 mL,<br>2.5 L      |
| 140052500                           | Trimethylacetyl chloride, 99%                                         | 3282-30-2   | 250 g                         |
| A11552.09                           | Triphenylphosphine dibromide, 96%                                     | 1034-39-5   | 10 g                          |
| A14932.06                           | Triphosgene, 98%                                                      | 32315-10-9  | 5 g, 25 g, 100 g              |
| 140920050                           | N-Vinyl-2-pyrrolidone, 99%, stabilized with NaOH                      | 88-12-0     | 5 mL                          |
| Металлоорганические соединения      |                                                                       |             |                               |
| 089891.14                           | Aluminum tert-butoxide, 97%                                           | 556-91-2    | 25 g                          |
| A10889.22                           | Antimony potassium tartrate hydrate, 98%                              | 331753-56-1 | 100 g                         |
| A10316.30                           | Barium acetate, 99%                                                   | 543-80-6    | 250 g                         |
| L19687.06                           | Bismuth(III) trifluoromethanesulfonate, 99%                           | 88189-03-1  | 5 g                           |
| L20130.06                           | trans-1,2-Bis(tri-n-butylstannyl)ethylene, 96%                        | 14275-61-7  | 5 g                           |
| B23921.18                           | Di-n-butyltin bis(2,4-pentanedionate), 95%                            | 22673-19-4  | 50 g                          |
| 014117.18                           | Di-n-butyltin oxide                                                   | 818-08-6    | 50 g                          |
| H31562.06                           | Tri-n-butyl(1-ethoxyvinyl)tin, 95%                                    | 97674-02-7  | 5 g                           |
| A10746.18                           | Tri-n-butyltin chloride, 96%                                          | 1461-22-9   | 50 g, 250 g                   |
| A13298.09                           | Tri-n-butyltin hydride, 97%                                           | 688-73-3    | 10 g, 25 g                    |
| A18139.14                           | Cacodylic acid sodium salt trihydrate 98+%                            | 6131-99-3   | 25 g, 100 g                   |
| A16560.18                           | Chromium(III) 2-ethylhexanoate, 50% in 2-ethylhexanoic acid           | 3444-17-5   | 50 g                          |
| A18374.22                           | Cobalt(II) acetate tetrahydrate, 98%                                  | 6147-53-1   | 100 g                         |
| B23218.18                           | Cobalt(II) acetate, anhydrous, 98+%                                   | 71-48-7     | 50 g                          |
| L19656.06                           | Copper(I) trifluoromethanesulfonate toluene complex (2:1), 98%        | 48209-28-5  | 5 g                           |
| A14920.18                           | Copper(II) 2,4-pentanedionate, 98%                                    | 13395-16-9  | 50 g                          |
| B23615.14                           | Copper(II) acetate, anhydrous, 98%                                    | 142-71-2    | 25 g, 100 g                   |
| A15365.18                           | Copper(II) oxalate hemihydrate, 98%                                   | 5893-66-3   | 50 g                          |
| 382690050                           | Dibutyltin dilaurate, 94%                                             | 77-58-7     | 5 g                           |
| A18882.09                           | (1,3-Dioxolan-2-ylmethyl)triphenylphosphonium bromide, 98%            | 52509-14-5  | 10 g                          |
| A13919.06                           | Diphenyl diselenide, 98%                                              | 1666-13-3   | 5 g                           |
| A14001.0B                           | Disodium hydrogen citrate sesquihydrate, 99%                          | 6132-4-5    | 250 g, 1 Kg                   |
| H26739.AD                           | 2-(Ethoxycarbonyl)ethylzinc bromide, 0.5M in THF                      | 193065-68-8 | 50 mL                         |

Органические реактивы – продолжение

| Артикул №.                                   | Описание                                                              | № CAS       | Размер                |
|----------------------------------------------|-----------------------------------------------------------------------|-------------|-----------------------|
| Металлоорганические соединения – продолжение |                                                                       |             |                       |
| 378830010                                    | Ethynylferrocene, 97%                                                 | 1271-47-2   | 1 g                   |
| 087202.18                                    | Ferrocene, 99%                                                        | 102-54-5    | 50 g                  |
| A16874.03                                    | Ferrocenecarboxylic acid, 97+%                                        | 1271-42-7   | 1 g                   |
| A11165.03                                    | Hemin (porcine), 97+%                                                 | 16009-13-5  | 1 g                   |
| A12007.09                                    | Hexa-n-butyliditin, 97%                                               | 813-19-4    | 10 g                  |
| H60034.03                                    | Iron(III) trifluoromethanesulfonate, tech. 90%                        | 63295-48-7  | 1 g                   |
| L13909.AC                                    | Isopentyl nitrite, 97%, stab. with 0.2% anhyd. sodium carbonate       | 110-46-3    | 25 mL, 100 mL, 500 mL |
| L19657.06                                    | Lanthanum trifluoromethanesulfonate, anhydrous, 99%                   | 52093-26-2  | 5 g                   |
| A11746.0B                                    | Lead(II) acetate trihydrate, 99%                                      | 6080-56-4   | 250 g, 1 Kg           |
| A15551.0B                                    | Lead(IV) acetate, 96% (dry wt.), stab. with 5-10% glacial acetic acid | 546-67-8    | 100 g, 250 g, 1 Kg    |
| H27307.09                                    | Lithium bis(trifluoromethylsulfonyl)imide, 98+%                       | 90076-65-6  | 10 g, 50 g            |
| A11818.0B                                    | Lithium L-lactate, 97%                                                | 27848-80-2  | 50 g, 1 Kg            |
| L16801.09                                    | Lithium trifluoroacetate, 97%                                         | 2923-17-3   | 10 g                  |
| L15481.14                                    | Magnesium bromide diethyl etherate, 98%                               | 29858-07-9  | 25 g                  |
| B23708.18                                    | Manganese(II) acetate, anhydrous, 98+%                                | 638-38-0    | 50 g, 250 g           |
| A12478.14                                    | Mercury(II) acetate, 98+%                                             | 1600-27-7   | 25 g                  |
| L20186.03                                    | Methallyltri-n-butyltin, 98%                                          | 67883-62-9  | 1 g                   |
| 018811.14                                    | Nickel(II) 2,4-pentanedionate, 95%                                    | 3264-82-2   | 25 g                  |
| A13026.0E                                    | Nickel(II) acetate tetrahydrate, 98+%                                 | 6018-89-9   | 100 g, 500 g, 2.5 Kg  |
| L20194.06                                    | Phenyl selenocyanate, 98%                                             | 2179-79-5   | 5 g                   |
| A11906.03                                    | Phenylselenenyl bromide, 98%                                          | 34837-55-3  | 1 g, 25 g             |
| A12751.06                                    | Phenylselenenyl chloride, 98%                                         | 5707-04-0   | 5 g                   |
| H25930.06                                    | Potassium 2-phenylethyltrifluoroborate, 98%                           | 329976-74-1 | 5 g                   |
| A13947.14                                    | Potassium tert-butoxide, 97%                                          | 865-47-4    | 25 g                  |
| L20201.06                                    | 1-Propynyltri-n-butyltin, 96%                                         | 64099-82-7  | 5 g                   |
| A11752.14                                    | Pyridinium chlorochromate, 98%                                        | 26299-14-9  | 25 g, 100 g           |
| L15132.22                                    | Pyridinium dichromate, 98%                                            | 20039-37-6  | 100 g                 |
| 395921000                                    | Raney™-Nickel, activated catalyst, 50% slurry in water                | 7440-02-0   | 100 g, 500 g          |
| B24009.18                                    | Sodium 2,4-pentanedionate hydrate, 95%                                | 86891-03-4  | 50 g                  |
| A13292.18                                    | Sodium bis(2-methoxyethoxy)aluminum hydride, 70% w/w in toluene.      | 22722-98-1  | 50 g                  |
| L06230.0P                                    | Sodium ethoxide, 96%                                                  | 141-52-6    | 2 Kg                  |
| L05673.0P                                    | Sodium methoxide, 98%                                                 | 124-41-4    | 100 g, 500 g, 2 Kg    |
| B21872.AP                                    | Sodium methoxide, ca 30% w/w in methanol                              | 124-41-4    | 500 mL                |
| A15656.14                                    | Sodium pentacyanonitrosylferrate(III) dihydrate, 98+%                 | 13755-38-9  | 25 g, 500 g           |
| A10189.22                                    | Sodium perborate tetrahydrate, 97%                                    | 10486-00-7  | 100 g                 |
| 252550050                                    | Sodium tert-butoxide, 99%, pure                                       | 865-48-5    | 5 g, 100 g            |
| B22060.06                                    | Sodium triacetoxymethylborohydride, 95%                               | 56553-60-7  | 5 g, 25 g             |
| L10288.06                                    | Tantalum(V) ethoxide, 99+%                                            | 6074-84-6   | 5 g                   |
| 398760050                                    | Tetrakis(acetonitrile)copper(I) tetrafluoroborate                     | 15418-29-8  | 5 g                   |
| H59773.AK                                    | Tin(II) methanesulfonate, 50% w/w aq. soln.                           | 53408-94-9  | 250 mL                |
| 039603.06                                    | Tin(II) trifluoromethanesulfonate, 97%                                | 62086-04-8  | 5 g                   |
| A13703.22                                    | Titanium(IV) isopropoxide, 95%                                        | 546-68-9    | 100 g                 |
| 077124.22                                    | Titanium(IV) n-butoxide, 99+%                                         | 5593-70-4   | 100 g                 |
| L15109.AE                                    | Triethylborane, 1M soln. in THF                                       | 97-94-9     | 100 mL                |
| L03616.06                                    | Triphenylarsine, 97%                                                  | 603-32-7    | 5 g, 25 g             |
| A17211.09                                    | Tris(ethylenediamine)cobalt(III) chloride trihydrate                  | 14883-80-8  | 10 g                  |
| B23022.36                                    | Zinc gluconate hydrate, 97%                                           | 4468-04-02  | 500 g                 |
| L15969.06                                    | Zinc trifluoromethanesulfonate, 98%                                   | 54010-75-2  | 5 g, 25 g             |

Органические реактивы – продолжение

| Артикул №.                     | Описание                                                                                             | № CAS       | Размер           |
|--------------------------------|------------------------------------------------------------------------------------------------------|-------------|------------------|
| Упаковочная продукция AcroSeal |                                                                                                      |             |                  |
| 381181000                      | n-Butylethylmagnesium, 0.9M solution in heptane, AcroSeal™                                           | 62202-86-2  | 100 mL           |
| 331681000                      | n-Butylmagnesium chloride, 20 wt% solution in THF/Toluene, AcroSeal™                                 | 693-04-9    | 100 mL           |
| 331671000                      | tert-Butylmagnesium chloride, 1.7M solution in THF, AcroSeal™                                        | 677-22-5    | 100 mL           |
| 381151000                      | Diethylaluminium chloride, 0.9M solution in toluene, AcroSeal™                                       | 96-10-6     | 100 mL           |
| 199521000                      | Diethylaluminium chloride, 1M solution in hexanes, AcroSeal™                                         | 96-10-6     | 100 mL           |
| 377561000                      | Diisobutylaluminium chloride, 0.8M solution in heptane, AcroSeal™                                    | 1779-25-5   | 100 mL           |
| 377791000                      | Dimethylaluminium chloride, 0.9M solution in heptane, AcroSeal™                                      | 1184-58-3   | 100 mL, 800 mL   |
| 185451000                      | Ethylaluminium dichloride, 0.9M solution in heptane, AcroSeal™                                       | 563-43-9    | 100 mL           |
| 185461000                      | Ethylaluminium sesquichloride, 0.4M solution in hexane, AcroSeal™                                    | 12075-68-2  | 100 mL           |
| 347291000                      | Ethylmagnesium bromide, 3M in diethyl ether, AcroSeal™                                               | 925-90-6    | 100 mL           |
| 183531000                      | Ethylmagnesium bromide, ca. 3.2M solution in 2-MeTHF; AcroSeal™                                      | 925-90-6    | 100 mL           |
| 252571000                      | Ethylmagnesium chloride, 2.7M (25 wt.%) solution in THF, AcroSeal™                                   | 2386-64-3   | 100 mL           |
| 377591000                      | Isobutyllithium, 1.7M solution in heptane, AcroSeal™                                                 | 920-36-5    | 100 mL           |
| 209521000                      | Isobutylmagnesium chloride, 2M solution in diethyl ether, AcroSeal™                                  | 5674-02-02  | 100 mL           |
| 386288000                      | Isopropylmagnesium chloride - Lithium chloride complex, 1.3M solution in THF, AcroSeal™              | 745038-86-2 | 800 mL           |
| 268831000                      | Lithium diisopropylamide, 2M sol. in THF/Heptane/Ethylbenzene, AcroSeal™                             | 4111-54-0   | 100 mL           |
| 176458000                      | Lithium tri-sec-butylborohydride, 1M solution in THF, AcroSeal™                                      | 38721-52-7  | 800 mL           |
| 181291000                      | Methylolithium, 2.2M (6wt%) in diethyl ether with LiBr, AcroSeal™                                    | 917-54-4    | 100 mL           |
| 183548000                      | Methylmagnesium bromide, 3M solution in diethyl ether, AcroSeal™                                     | 75-16-1     | 800 mL           |
| 432801000                      | N-Methylmorpholine, 99.5%, purified by redistillation, AcroSeal™                                     | 109-02-4    | 100 mL, 1 L      |
| 433851000                      | Morpholine, 99.5%, purified by redistillation, AcroSeal™                                             | 110-91-8    | 100 mL           |
| 430911000                      | Sodium bis(2-methoxyethoxy)aluminium hydride, 70 wt% solution in toluene (ca. 3.5M), AcroSeal™       | 22722-98-1  | 100 mL           |
| 430801000                      | Succinyl chloride, ca. 95%, AcroSeal™                                                                | 543-20-4    | 100 mL           |
| 381171000                      | Triethylaluminium, 0.6M solution in heptane, AcroSeal™                                               | 97-93-8     | 100 mL           |
| 377291000                      | Triethylaluminium, 1.3M solution in heptane, AcroSeal™                                               | 97-93-8     | 100 mL           |
| 427851000                      | Trimethyltin chloride, 1M (20 wt.%) solution in THF, AcroSeal™                                       | 1066-45-1   | 100 mL           |
| 433661000                      | Vanadium(III) chloride-tetrahydrofuran complex (1:3), 0.5M solution in methylene chloride, AcroSeal™ | 19559-06-9  | 100 mL           |
| 427931000                      | Zirconium(IV) propoxide, ca. 70%, solution in 1-Propanol, AcroSeal™                                  | 23519-77-9  | 100 mL           |
| Реквизиты для лабораторий      |                                                                                                      |             |                  |
| L13159.06                      | Acridine Orange                                                                                      | 10127-02-3  | 5 g, 25 g        |
| L01657.06                      | Acridine, 97%                                                                                        | 260-94-6    | 5 g, 25 g        |
| 042040.06                      | Alizarin Red S sodium salt                                                                           | 130-22-3    | 5 g              |
| A14404.22                      | Alizarin, 94%                                                                                        | 72-48-0     | 100 g            |
| A15017.MD                      | 7-Amino-4-methylcoumarin, 98%                                                                        | 26093-31-2  | 250 mg           |
| A10927.06                      | Azomethine-H monosodium salt hydrate                                                                 | 206752-32-1 | 5 g              |
| A11777.09                      | Azure II                                                                                             | 37247-10-2  | 10 g, 50 g       |
| B22550.03                      | Bathocuproin sulfonate disodium salt hydrate, 97%                                                    | 52698-84-7  | 250 mg, 1 g, 5 g |
| A14258.03                      | Bathophenanthroline, 98+%                                                                            | 1662-01-7   | 1 g              |
| 030569.09                      | 2,2'-Bipyridine, ACS, 98%                                                                            | 366-18-7    | 10 g             |
| L00812.14                      | Biuret, 97%                                                                                          | 108-19-0    | 25 g, 100 g      |
| A12502.03                      | Blue Tetrazolium chloride                                                                            | 1871-22-3   | 1 g              |
| B23459.09                      | Calconcarboxylic acid.                                                                               | 3737-95-9   | 10 g, 50 g       |
| 042374.22                      | Chloramine-T trihydrate, ACS, 98.0-103.0%                                                            | 7080-50-4   | 100 g            |
| A12899.09                      | o-Cresolphthalein                                                                                    | 596-27-0    | 10 g             |
| A13828.03                      | Dansyl chloride, 96%                                                                                 | 605-65-2    | 1 g, 5 g         |

## Органические реактивы – продолжение

| Артикул No.                             | Описание                                                                                    | № CAS        | Размер              |
|-----------------------------------------|---------------------------------------------------------------------------------------------|--------------|---------------------|
| Реквизиты для лабораторий – продолжение |                                                                                             |              |                     |
| A17175.03                               | o-Dianisidine dihydrochloride, 98%                                                          | 20325-40-0   | 1 g                 |
| A17150.06                               | o-Dianisidine, 98+%                                                                         | 119-90-4     | 5 g, 25 g           |
| A16305.0F                               | Di-n-butyl ether, 99%                                                                       | 142-96-1     | 500 mL, 2.5 L       |
| A17739.03                               | 1,3-Dihydroxynaphthalene, 98%                                                               | 132-86-5     | 1 g                 |
| A16212.06                               | 2',7'-Dichlorofluorescein                                                                   | 76-54-0      | 5 g, 25 g           |
| A10107.06                               | 2,6-Dichloroindophenol sodium salt hydrate                                                  | 1266615-56-8 | 5 g                 |
| 036684.22                               | 4-Dimethylaminobenzaldehyde, ACS                                                            | 100-10-7     | 100 g               |
| L16015.0F                               | 2,6-Dimethyl-4-heptanone, >90% (sum of 2,6-Dimethyl-4-heptanone & 4,6-Dimethyl-2-heptanone) | 108-83-8     | 100 mL, 2.5 L       |
| A11398.06                               | 2,9-Dimethyl-1,10-phenanthroline hemihydrate, 98+%                                          | 34302-69-7   | 5 g                 |
| A17377.22                               | Eosin B                                                                                     | 548-24-3     | 100 g               |
| A14180.14                               | Erythrosin B                                                                                | 16423-68-0   | 25 g                |
| A12544.30                               | Ethyl acetoacetate, 99+%                                                                    | 141-97-9     | 250 g, 500 g        |
| A17385.0I                               | Ethylenediaminetetraacetic acid tetrasodium salt hydrate, 98%                               | 194491-31-1  | 5 Kg                |
| A18014.06                               | L-Glutathione, reduced, 97%                                                                 | 70-18-8      | 5 g, 25 g           |
| J62166.06                               | L-Glutathione, reduced, 98+%                                                                | 70-18-8      | 5 g                 |
| A16248.AE                               | 4-Hydroxy-4-methyl-2-pentanone, 98+%                                                        | 123-42-2     | 100 mL, 500 mL      |
| L04733.AE                               | (R)-(+)-Limonene, 96%                                                                       | 5989-27-5    | 100 mL, 500 mL      |
| A17540.09                               | Murexide                                                                                    | 3051-09-0    | 10 g, 250 g         |
| B20294.03                               | Orcein, for analysis                                                                        | 1400-62-0    | 1 g, 5 g            |
| A11313.0C                               | Paraformaldehyde, 96%                                                                       | 30525-89-4   | 100 g, 500 g, 10 Kg |
| 013452.36                               | Potassium oxalate monohydrate, ACS, 98.5-101.0%                                             | 6487-48-5    | 500 g               |
| L11252.06                               | Pyranine                                                                                    | 6358-69-6    | 5 g                 |
| A16933.09                               | SPADNS                                                                                      | 23647-14-5   | 10 g, 50 g          |
| 036703.18                               | Starch, soluble, ACS (for iodometry)                                                        | 9005-84-9    | 50 g                |
| A14769.06                               | Sulforhodamine B sodium salt                                                                | 3520-42-1    | 5 g, 25 g           |
| A17754.14                               | TAPS, 99%                                                                                   | 29915-38-6   | 25 g                |
| L12674.03                               | Tetrabromophenolphthalein ethyl ester potassium salt                                        | 62637-91-6   | 1 g                 |
| A10870.09                               | 2,3,5-Triphenyl-2H-tetrazolium chloride, 98%                                                | 298-96-4     | 10 g, 50 g, 250 g   |

Персональный менеджер Thermo Scientific Chemical:

Номер телефона:

Электронная почта:

 Для получения большей информации и запроса коммерческого предложения: [thermofisher.com/pure-metals](https://thermofisher.com/pure-metals)

Только для исследовательских целей. Не предназначено для использования в диагностических процедурах. © 2022 Thermo Fisher Scientific Inc. Все права защищены.  
Все торговые марки являются собственностью компании Thermo Fisher Scientific и ее дочерних предприятий, если не указано иное. LC\_TS\_EEM\_0522\_61

thermo scientific